



DELPHI
Be Creative!

Setting the Scene

Add a magical winter landscape to your gingerbread house!



Materials:

Bullseye Clear, White Streaky #B21303F
Bullseye Opaque White Double Rolled #B001330
Silver On Clear Ripple Dichroic #94124
White Opal Frit-Medium #F052
Clear Iridized Frit-Coarse #F8005
1" Thick Fiber Durablanket #92803
Hotline Fiber Mold Hardener #4850
Weldbond Adhesive #65101

Instructions:

Creating the Base

1. Cut desired shape for the base from opaque white. From clear white streaky cut the same shape.
2. Stack white streaky on top of opaque white.
3. With wheeled mosaic nippers or glass cutter, cut random pieces of Dichroic glass and arrange to form a pond.
4. Place the entire base in a prepared kiln.
5. Repeat step one cutting shapes to resemble snowdrifts. Set in a prepared kiln.
6. Fire using schedule below.

Shaping Snowdrifts:

1. Using glass snowdrift shapes as a template, cut out Durablanket.
2. Form into mounds using Hotline Fiber Mold Hardener and prepare for firing according to manufacturer's directions.
3. Set snowdrift shapes on prepared molds and drape using schedule below.
4. When cool apply Weldbond adhesive with a brush and sprinkle with white and clear iridized frit. Let dry.



DELPHI
Be Creative!

Firing:

Base and Snowdrifts

Segment 1 - 300° per hour to 1150° Hold 20 minutes

Segment 2 - 200° per hour to 1450° Hold 15 minutes

Segment 3 - Full to 900° Hold 60 minutes

Draping Schedule for Snowdrifts

Segment 1 - 300° per hour to 1150° Hold 15 minutes

Segment 2 - 300° per hour to 1400° Hold till desired results.

Segment 3 - Full to 900° Hold 30 minutes.

Your kiln size, controller type, and individual project may require some alteration to the schedules above for best results. Firing times and temperatures may vary, each kiln is unique.

Delphi Tip: Keep a firing log to make it easy to replicate your favorite projects.



DELPHI
Be Creative!

M5/16" Scalloped Silver Back Foil 1.5 Mil #1772516
Butterscotch Opalescent Double Rolled - 90 COE #B033730
Spectrum Red and White Wispy #S3591
Clear Float Glass #M3901
3/4" Red Glass Tile - 1 Lb. #426286
White Sanded Grout - 2 Lb. #425580
7/8" Crafting Tiles #426101
Silicone Adhesive - 2.8oz. #5690
Black Marker #5177
Wheeled Mosaic Nippers #2039
Assorted Glass Embellishments

Instructions:

1. Resize and print pattern. Cut out pattern pieces. On butterscotch glass trace patterns (except for chimney) and cut using glass cutter.
2. Foil each piece using scalloped foil.
3. Assemble house with scalloped edge of foil facing exterior.
4. To assemble chimney, trace pattern onto clear glass and cut.
5. Cut 1/2" strips of Red and White Wispy glass. Using Wheeled Mosaic Nippers, nip strips into smaller rectangles to resemble bricks.
6. Apply small rectangles to one side of the clear chimney blank in a brick pattern using silicone adhesive.
7. Apply rectangles to the other side from the top of the chimney to the roof line.
8. Grout the mosaic chimney and let dry.
9. Mount chimney to the side of house with silicone adhesive.
10. Using Crafting Tiles make foundation for the house stacking tiles in a brick formation using silicone adhesive.
11. Leave an opening for a light cord if desired.