



DELPHI
Be Creative!

Noble Eagle Mosaic Garden Stake Panel

Noble Eagle Mosaic Garden Stake Panel

Project shown by artist Julie Haan

Materials:

Free Pattern #FP6766 Noble Eagle Available for Download at DelphiGlass.com

#M3905 Clear Glass – 1 md

#S305 White Glass – 1 md

#W118L Blue and White Streaky Glass – 1 md

#K225D Red Glass – 1 md

#146SPWV Dark Amber Glass – 1 md

#S31502 Pale Amber Glass – 1 md

#425581 Black Grout

#424715 White Wasser Stars

#40211 Hampton Garden Stake

#5690 Clear Silicone Adhesive

Optional: #64212 Black Outliner Paint



Instructions:

1. Measure the opening in the garden stake carefully and resize the pattern to fit.
2. Cut a single clear glass circle to fit the full panel dimensions.
3. Cut glass for pattern, simplifying design as desired. In the project shown the pattern was altered joining the individual wing tip feathers and removing the cut lines for stars in the blue background of the flag. Suggested glass use: Cut the body of the eagle from the dark areas of #146SPWV, cut the head and tail of the eagle from the light areas of #S31502. Select medium amber tones from either above color for the beak and feet of the eagle.



DELPHI
Be Creative!

4. Grind glass pieces to fit leaving a narrow space between pieces for grout and ensuring the edges align with the base circle of clear.
5. Clean all glass pieces.
6. Position the clear glass circle over the pattern and use clear silicone to glue cut pieces in place following the pattern, repositioning as needed until the complete design is placed. Allow to dry.
7. Mix black grout following manufacturer instructions. Apply grout to the project carefully working to fill all spaces between glass pieces. Clean off excess grout and allow to dry.
8. Clean project to remove any grout residue from the surface of glass. Use clear silicone adhesive to add White Wasser Stars to the blue background of the flag.



DELPHI
Be Creative!

9. Optional: Apply Black Outliner Paint to draw an eye on the eagle or add a special message. Bake according to manufacturer directions to cure paint.
10. Apply small dots of clear silicone adhesive around the perimeter of the garden stake frame and position the panel in the channel. Allow to cure before displaying outside.